



PALETTE 3 PRO

Product Sheet


Simple, multi-material 3D Printing



REPRESENTED BY:
Allegheny Educational Systems, Inc.
320 East 3rd Avenue
Tarentum, PA 15084
Phone: 800-232-7600
www.alleghenyedusys.com

PALETTE 3 PRO

Key Features



Up to 8 different filaments in a single print job




Improved, aluminum Splice Core, 10% faster than Palette 3



Easily connects to most widely available 3D printers¹

- ✓ Control **remotely** to start and monitor prints from anywhere
- ✓ Fully **automated** runout detection and spool changeover
- ✓ Built-in **Canvas Hub** for improved connectivity
- ✓ Cloud based print management with **Canvas software integration**
- ✓ New UI and touch screen for unparalleled ease of use
- ✓ Durable PC-ABS and Aluminum₃ construction.
- ✓ Splices **10% faster** than Palette 3 and rated for **2x** as many lifetime splices.



1. Consult the Mosaic Manufacturing website for a full list of compatible 3D Printers. List subject to change.

PALETTE 3 PRO

Specification Sheet

Recommended for	Professionals, Businesses, Hobbyists
MSRP (USD)	Please request Quote
Number of Inputs	8
Filament Compatibility	1.75 ±0.03mm PLA, PETG, TPU, ABS, PVA, HIPS Shore hardness of 95A or harder
Splicing Technology	3rd generation Splice Core PRO (P3-SCP)
Splicing Speed	Up to 10% faster than Palette 3, 30% faster than Palette 2
Filament Runout Detection	Yes
Built-in Canvas Hub Functionality	Yes
Software Compatibility	Canvas
Browser Compatibility	Chrome, Firefox, Safari
Internet Connection	Required for Canvas usage and firmware updates
Control Interface	4" Touch Screen Canvas (via Web browser)
Data Interface	Canvas (via WiFi / Ethernet)
IO Ports	USB-A (2x) USB-B (1x) Ethernet (1x)
WiFi	Yes (2.4Ghz, 802. 11 b/g/n) ₁
Controllers	ARM Cortex M4 Processor & Compute Module: -Quad-core 1.4GHz ARM Cortex-A53 Processor -1GB LPDDR2 SDRAM -8GB eMMC Flash Memory
Power	12V / 4A
Product Dimensions (cm)	30.9 × 23.5 × 7.4 cm
Product Weight (kg)	3.2 kg
Warranty	24 months or 50,000 splices
UPC Code	850226000847



PALETTE 3 PRO

Comparison Sheet

Palette 2S

Palette 3

Palette 3 Pro



Number of Materials	4	4	8
Connectivity	Canvas Hub Required	Canvas Hub Integrated	
Warranty	1 Year	1 Year	2 Year
Ethernet	No	No	Yes
Structural Material	PC-ABS, White	PC-ABS, White	PC-ABS, Black, Aluminum Splice Core
Interface	3.4" Color Screen	4" Color Screen	4" Color Screen
Splice Tubes Included	3	3	5
Spare Parts	Basic	Basic	Basic + Extra
Drive Technology	Independent Drive Motor	Mosaic Rotary Selector System	
Filament Buffer	Open-filament Loop	Constrained Filament Loop	
Speed (cut-cut time)₂	43 seconds	32 seconds	29 seconds
Filament Diameter	1.75mm		
Compatibility	Popular open printers such as Creality, Prusa, Artillery, Craftbot, Makerbot, Flashforge, Ultimaker ₃ and Lulzbot ₃		
Compatible Materials	Up to 250°C	Up to 250°C	Up to 250°C



1. Although WiFi is featured, offline modes are available for both Palette 3 and Palette 3 Pro models

2. Cut-cut time is determined using 8cm segments and (0,0,0) splice tuning with Mosaic PLA. Larger segments and different splice tuning will affect cut-cut times.

3. Adaptor required for select 2.85mm printer models

PALETTE 3 PRO

Product Diagrams



Note: All diagrams and technical specifications are approximate and subject to change.



Mosaic Manufacturing Ltd.
480 University Ave, Unit 802
Toronto, ON M5G 1V2
Canada
Sales@mosaicmanufacturing.com

© 2021 All Rights Reserved.